

This listing of claims will replace all prior versions and listings of claims in the Application.

Listing of Claims:

1 and 2. (Canceled)

3. (Currently Amended) A package, comprising a first product component; first holding means for releasably holding said first product component; a second product component; and second holding means for releasably holding said second product component such that said second product component is attachable to said first product component without removing either of said product components from said package, said first and second product components being movable relative to each other while they are held by said first and second holding means, respectively. A package according to Claim 2, wherein said first holding means holds holding said first product component in a substantially fixed position relative to said package and said second holding means holds holding said second product component such that it is movable relative to said package between a first position, in which said second product component is detached from said first product component, and a second position, in which said second product component is attached to said first product component, whereby said first and second product components can be removed from the package as a unit.

4. (Previously Presented) A package according to Claim 3, wherein said second holding means holds said second product component such that it is slidable from said first position to said second position.

5. (Original) A package according to Claim 4, wherein said package includes a tray containing said first and second holding means, said tray having an exterior shape which inhibits it from rolling.

6. (Original) A package according to Claim 5, wherein said tray is removably received within another tray.

7. (Original) A package according to Claim 6, wherein said tray has means for permitting it to be gripped by a user and manually removed from said another tray.

8. (Previously Presented) A package according to Claim 6, wherein said tray has means for permitting it to be held by a user as said second product component is slid from said first position to said second position.

9. (Original) A package according to Claim 4, wherein said package includes a housing containing said first and second holding means, said housing having an exterior shape which inhibits it from rolling.

10. (Previously Presented) A package according to Claim 9, wherein said first holding means holds said first product component such that it is entirely contained within said housing and said second holding means holds said second product component such that it is only partially contained within said housing.

11-23. (Canceled)